

Net Cooler Opening Chart



SELECT / ProE Continuous Lineup

Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
1	1	1	2' 1-1/8"	639	2' 4-5/16"	720	2' 6-5/16"	770	2' 7-13/16"	809
2	1	2	4' 0-7/8"	1242	4' 7-1/4"	1404	4' 11-1/4"	1505	5' 2-1/4"	1582
3	1	3	6' 0-5/8"	1845	6' 10-3/16"	2088	7' 4-3/16"	2240	7' 8-11/16"	2355
4	1	4	8' 0-3/8"	2448	9' 1-1/8"	2772	9' 9-1/8"	2975	10' 3-1/8"	3128
5	1	5	10' 0-1/8"	3052	11' 4-1/16"	3456	12' 2-1/16"	3710	12' 9-9/16"	3901
6	2	3,3	12' 1"	3683	13' 8-1/8"	4169	14' 8-1/8"	4474	15' 5-1/8"	4703
7	2	3,4	14' 0-3/4"	4287	15' 11-1/16"	4853	17' 1-1/16"	5209	17' 11-9/16"	5476
8	2	4,4	16' 0-1/2"	4890	18' 2"	5538	19' 6"	5944	20' 6"	6249
9	2	4,5	18' 0-1/4"	5493	20' 4-15/16"	6222	21' 10-15/16"	6679	23' 0-7/16"	7022
10	2	5,5	20' 0"	6096	22' 7-7/8"	6906	24' 3-7/8"	7414	25' 6-7/8"	7795
11	3	3,4,4	22' 0-7/8"	6728	24' 11-15/16"	7619	26' 9-15/16"	8178	28' 2-7/16"	8597
12	3	4,4,4	24' 0-5/8"	7332	27' 2-7/8"	8303	29' 2-7/8"	8913	30' 8-7/8"	9370
13	3	4,4,5	26' 0-3/8"	7935	29' 5-13/16"	8987	31' 7-13/16"	9648	33' 3-5/16"	10143
14	3	4,5,5	28' 0-1/8"	8538	31' 8-3/4"	9672	34' 0-3/4"	10383	35' 9-3/4"	10916
15	3	5,5,5	29' 11-7/8"	9141	33' 11-11/16"	10356	36' 5-11/16"	11118	38' 4-3/16"	11689
16	4	4,4,4,4	32' 0-3/4"	9773	36' 3-3/4"	11069	38' 11-3/4"	11881	40' 11-3/4"	12491
17	4	4,4,4,5	34' 0-1/2"	10376	38' 6-11/16"	11753	41' 4-11/16"	12616	43' 6-3/8"	13264
18	4	4,4,5,5	36' 0-1/4"	10980	40' 9-5/8"	12437	43' 9-5/8"	13351	46' 0-5/8"	14037
19	4	4,5,5,5	38' 0"	11583	43' 0-9/16"	13121	46' 2-9/16"	14086	48' 7-1/16"	14810
20	4	5,5,5,5	39' 11-3/4"	12186	45' 3-1/2"	13805	48' 7-1/2"	14821	51' 1-1/2"	15583
21	5	3,3,5,5,5	42' 0-5/8"	12818	47' 7-9/16"	14518	51' 1-9/16"	15585	53' 9-1/16"	16385
22	5	3,4,5,5,5	44' 0-3/8"	13421	49' 10-1/2"	15202	53' 6-1/2"	16320	56' 3-1/2"	17158
23	5	3,5,5,5,5	46' 0-1/8"	14024	52' 1-7/16"	15887	55' 11-7/16"	17055	58' 9-15/16"	17931
24	5	4,5,5,5,5	47' 11-7/8"	14628	54' 4-3/8"	16571	58' 4-3/8"	17790	61' 4-3/8"	18704
25	5	5,5,5,5,5	49' 11-5/8"	15231	56' 7-5/16"	17255	60' 9-5/16"	18525	63' 10-13/16"	19478
26	6	3,3,5,5,5,5	52' 0-1/2"	15863	58' 11-3/8"	17968	63' 3-3/8"	19289	66' 6-3/8"	20279
27	6	3,4,5,5,5,5	54' 0-1/4"	16466	61' 2-5/16"	18652	65' 8-5/16"	20024	69' 0-13/16"	21052
28	6	4,4,5,5,5,5	56' 0"	17069	63' 5-1/4"	19336	68' 1-1/4"	20759	71' 7-1/4"	21825
29	6	4,5,5,5,5,5	57' 11-3/4"	17673	65' 8-3/16"	20020	70' 6-3/16"	21494	74' 1-11/16"	22599
30	6	5,5,5,5,5,5	59' 11-1/2"	18276	67' 11-1/8"	20705	72' 11-1/8"	22229	76' 8-1/8"	23372

Heights are available in 67", 75", and 79". This is the net opening heights

SELECT / ProE French Continuous Lineup - (no mullion behind handle)

Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
2	1	2	4' 1-1/4"	1251	4' 7-5/8"	1413	4' 11-5/8"	1515	5' 2-5/8"	1591
3	1	3	6' 1-3/16"	1859	6' 10-3/4"	2102	7' 4-3/4"	2255	7' 9-1/4"	2369
4	1	4	8' 1-1/8"	2467	9' 1-7/8"	2791	9' 9-7/8"	2995	10' 3-1/4"	3147
5	1	5	10' 1-1/16"	3075	11' 5"	3480	12' 3"	3734	12' 10-1/2"	3925
6	2	2,4	12' 2-1/8"	3712	13' 9-1/4"	4198	14' 9-1/4"	4503	15' 6-1/4"	4731
7	2	3,4	14' 2-1/16"	4320	16' 0-3/8"	4887	17' 2-3/8"	5242	18' 0-7/8"	5509
8	2	4,4	16' 2"	4928	18' 3-1/2"	5576	19' 7-1/2"	5982	20' 7-1/2"	6287
9	2	4,5	18' 1-15/16"	5536	20' 6-5/8"	6265	22' 0-5/8"	6722	23' 2-1/8"	7065
10	3	2,4,4	20' 3"	6173	22' 10-7/8"	6982	24' 6-7/8"	7490	25' 9-7/8"	7871
11	3	3,4,4	22' 2-15/16"	6781	25' 2"	7671	27' 0"	8230	28' 4-1/2"	8649
12	3	4,4,4	24' 2-7/8"	7389	27' 5-1/8"	8360	29' 5-1/8"	8970	30' 11-1/8"	9427
13	3	4,4,5	26' 2-13/16"	7997	29' 8-1/4"	9049	31' 10-1/4"	9710	33' 5-3/4"	10205
14	4	2,4,4,4	28' 3-7/8"	8633	32' 0-1/2"	9767	34' 4-1/2"	10478	36' 1-1/2"	11011
15	4	3,4,4,4	30' 3-13/16"	9241	34' 3-5/8"	10456	36' 9-5/8"	11218	38' 8-1/8"	11789
16	4	4,4,4,4	32' 3-3/4"	9849	36' 6-3/4"	11145	39' 2-3/4"	11958	41' 2-3/4"	12567
17	4	4,4,4,5	34' 3-11/16"	10457	38' 9-7/8"	11834	41' 7-7/8"	12697	43' 9-3/8"	13345
18	5	2,4,4,4,4	36' 4-3/4"	11094	41' 2-1/8"	12551	44' 2-1/8"	13466	46' 5-1/8"	14151
19	5	3,4,4,4,4	38' 4-11/16"	11702	43' 5-1/4"	13240	46' 7-1/4"	14205	48' 11-3/4"	14929
20	5	4,4,4,4,4	40' 4-5/8"	12310	45' 8-3/8"	13929	49' 0-3/8"	14945	51' 6-3/8"	15707
21	5	4,4,4,4,5	42' 4-9/16"	12918	47' 11-1/2"	14618	51' 5-1/2"	15685	54' 1"	16485
22	6	2,4,4,4,4,4	44' 5-5/8"	13555	50' 3-3/4"	15336	53' 11-3/4"	16453	56' 8-3/4"	17292
23	6	3,4,4,4,4,4	46' 5-9/16"	14163	52' 6-7/8"	16025	56' 4-7/8"	17193	59' 3-3/8"	18069
24	6	4,4,4,4,4,4	48' 5-1/2"	14771	54' 10"	16714	58' 10"	17933	61' 10"	18847
25	6	4,4,4,4,4,5	50' 5-7/16"	15379	57' 1-1/8"	17403	61' 3-1/8"	18673	64' 4-5/8"	19625
26	7	2,4,4,4,4,4,4	52' 6-1/2"	16015	59' 5-3/8"	18120	63' 9-3/8"	19441	67' 0-3/8"	20432
27	7	3,4,4,4,4,4,4	54' 6-7/16"	16623	61' 8-1/2"	18809	66' 2-1/2"	20181	69' 7"	21209
28	7	4,4,4,4,4,4,4	56' 6-3/8"	17231	63' 11-5/8"	19498	68' 7-5/8"	20921	72' 1-5/8"	21987
29	7	4,4,4,4,4,4,5	58' 6-5/16"	17839	66' 2-3/4"	20187	71' 0-3/4"	21660	74' 8-1/4"	22765
30	8	2,4,4,4,4,4,4,4	60' 7-3/8"	18476	68' 7"	20905	73' 7"	22429	77' 4"	23572

Heights are available in 67", 75", and 79". 0' 0"

Model	Doors	Sections	Conf	30	mm	36	mm
Select/ProE	1	1	1	2' 7-13/16"	809	3' 1-3/8"	950
Select/ProE	2	1	2	5' 2-1/4"	1582	6' 1-3/8"	1864
Titan	1	1	1	N/A	N/A	3' 5"	1042
Titan	2	1	2	N/A	N/A	6' 5-7/8"	1978

Heights are available in 81" and 84". This is the net opening heights.

Net Cooler Opening Chart



PRIME / VUE Continuous Lineup										
Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
1	1	1	2' 1-1/8"	639	2' 4-5/16"	720	2' 6-5/16"	770	2' 7-13/16"	809
2	1	2	4' 0-7/8"	1242	4' 7-1/4"	1404	4' 11-1/4"	1505	5' 2-1/4"	1582
3	1	3	6' 0-5/8"	1845	6' 10-3/16"	2088	7' 4-3/16"	2240	7' 8-11/16"	2355
4	1	4	8' 0-3/8"	2448	9' 1-1/8"	2772	9' 9-1/8"	2975	10' 3-1/8"	3128
5	1	5	10' 0-1/8"	3052	11' 4-1/16"	3456	12' 2-1/16"	3710	12' 9-9/16"	3901
6	2	3,3	12' 1"	3683	13' 8-1/8"	4169	14' 8-1/8"	4474	15' 5-1/8"	4703
7	2	3,4	14' 0-3/4"	4287	15' 11-1/16"	4853	17' 1-1/16"	5209	17' 11-9/16"	5476
8	2	4,4	16' 0-1/2"	4890	18' 2"	5538	19' 6"	5944	20' 6"	6249
9	2	4,5	18' 0-1/4"	5493	20' 4-15/16"	6222	21' 10-15/16"	6679	23' 0-7/16"	7022
10	2	5,5	20' 0"	6096	22' 7-7/8"	6906	24' 3-7/8"	7414	25' 6-7/8"	7795
11	3	3,4,4	22' 0-7/8"	6728	24' 11-15/16"	7619	26' 9-15/16"	8178	28' 2-7/16"	8597
12	3	4,4,4	24' 0-5/8"	7332	27' 2-7/8"	8303	29' 2-7/8"	8913	30' 8-7/8"	9370
13	3	4,4,5	26' 0-3/8"	7935	29' 5-13/16"	8987	31' 7-13/16"	9648	33' 3-5/16"	10143
14	3	4,5,5	28' 0-1/8"	8538	31' 8-3/4"	9672	34' 0-3/4"	10383	35' 9-3/4"	10916
15	3	5,5,5	29' 11-7/8"	9141	33' 11-11/16"	10356	36' 5-11/16"	11118	38' 4-3/16"	11689
16	4	4,4,4,4	32' 0-3/4"	9773	36' 3-3/4"	11069	38' 11-3/4"	11881	40' 11-3/4"	12491
17	4	4,4,4,5	34' 0-1/2"	10376	38' 6-11/16"	11753	41' 4-11/16"	12616	43' 6-3/16"	13264
18	4	4,4,5,5	36' 0-1/4"	10980	40' 9-5/8"	12437	43' 9-5/8"	13351	46' 0-5/8"	14037
19	4	4,5,5,5	38' 0"	11583	43' 0-9/16"	13121	46' 2-9/16"	14086	48' 7-1/16"	14810
20	4	5,5,5,5	39' 11-3/4"	12186	45' 3-1/2"	13805	48' 7-1/2"	14821	51' 1-1/2"	15583
21	5	3,3,5,5,5	42' 0-5/8"	12818	47' 7-9/16"	14518	51' 1-9/16"	15585	53' 9-1/16"	16385
22	5	3,4,5,5,5	44' 0-3/8"	13421	49' 10-1/2"	15202	53' 6-1/2"	16320	56' 3-1/2"	17158
23	5	3,5,5,5,5	46' 0-1/8"	14024	52' 1-7/16"	15887	55' 11-7/16"	17055	58' 9-15/16"	17931
24	5	4,5,5,5,5	47' 11-7/8"	14628	54' 4-3/8"	16571	58' 4-3/8"	17790	61' 4-3/8"	18704
25	5	5,5,5,5,5	49' 11-5/8"	15231	56' 7-5/16"	17255	60' 9-5/16"	18525	63' 10-13/16"	19478
26	6	3,3,5,5,5,5	52' 0-1/2"	15863	58' 11-3/8"	17968	63' 3-3/8"	19289	66' 6-3/8"	20279
27	6	3,4,5,5,5,5	54' 0-1/4"	16466	61' 2-5/16"	18652	65' 8-5/16"	20024	69' 0-13/16"	21052
28	6	4,4,5,5,5,5	56' 0"	17069	63' 5-1/4"	19336	68' 1-1/4"	20759	71' 7-1/4"	21825
29	6	4,5,5,5,5,5	57' 11-3/4"	17673	65' 8-3/16"	20020	70' 6-3/16"	21494	74' 1-11/16"	22599
30	6	5,5,5,5,5,5	59' 11-1/2"	18276	67' 11-1/8"	20705	72' 11-1/8"	22229	76' 8-1/8"	23372

Heights are available in 67", 75", and 79". This is the net opening heights

PRIME / VUE Continuous French Lineup - (no mullion behind handle)										
Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
2	1	2	4' 0-7/8"	1242	4' 7-1/4"	1404	4' 11-1/4"	1505	5' 2-1/4"	1582
3	1	3	6' 0-5/8"	1845	6' 10-3/16"	2088	7' 4-3/16"	2240	7' 8-11/16"	2355
4	1	4	8' 0-3/8"	2448	9' 1-1/8"	2772	9' 9-1/8"	2975	10' 3-1/8"	3128
5	1	5	10' 0-1/8"	3052	11' 4-1/16"	3456	12' 2-1/16"	3710	12' 9-9/16"	3901
6	2	2,4	12' 1"	3683	13' 8-1/8"	4169	14' 8-1/8"	4474	15' 5-1/8"	4703
7	2	3,4	14' 0-3/4"	4287	15' 11-1/16"	4853	17' 1-1/16"	5209	17' 11-9/16"	5476
8	2	4,4	16' 0-1/2"	4890	18' 2"	5538	19' 6"	5944	20' 6"	6249
9	2	4,5	18' 0-1/4"	5493	20' 4-15/16"	6222	21' 10-15/16"	6679	23' 0-7/16"	7022
10	3	2,4,4	20' 1-1/8"	6125	22' 9"	6935	24' 5"	7443	25' 8"	7824
11	3	3,4,4	22' 0-7/8"	6728	24' 11-15/16"	7619	26' 9-15/16"	8178	28' 2-7/16"	8597
12	3	4,4,4	24' 0-5/8"	7332	27' 2-7/8"	8303	29' 2-7/8"	8913	30' 8-7/8"	9370
13	3	4,4,5	26' 0-3/8"	7935	29' 5-13/16"	8987	31' 7-13/16"	9648	33' 3-5/16"	10143
14	4	2,4,4,4	28' 1-1/4"	8567	31' 9-7/8"	9700	34' 1-7/8"	10411	35' 10-7/8"	10945
15	4	3,4,4,4	30' 1"	9170	34' 0-13/16"	10384	36' 6-13/16"	11146	38' 5-5/16"	11718
16	4	4,4,4,4	32' 0-3/4"	9773	36' 3-3/4"	11069	38' 11-3/4"	11881	40' 11-3/4"	12491
17	4	4,4,4,5	34' 0-1/2"	10376	38' 6-11/16"	11753	41' 4-11/16"	12616	43' 6-3/16"	13264
18	5	2,4,4,4,4	36' 1-3/8"	11008	40' 10-3/4"	12466	43' 10-3/4"	13380	46' 1-3/4"	14066
19	5	3,4,4,4,4	38' 1-1/8"	11611	43' 1-11/16"	13150	46' 3-11/16"	14115	48' 8-3/16"	14839
20	5	4,4,4,4,4	40' 0-7/8"	12215	45' 4-5/8"	13834	48' 8-5/8"	14850	51' 2-5/8"	15612
21	5	4,4,4,4,5	42' 0-5/8"	12818	47' 7-9/16"	14518	51' 1-9/16"	15585	53' 9-1/16"	16385
22	6	2,4,4,4,4,4	44' 1-1/2"	13450	49' 11-5/8"	15231	53' 7-5/8"	16349	56' 4-5/8"	17187
23	6	3,4,4,4,4,4	46' 1-1/4"	14053	52' 2-9/16"	15915	56' 0-9/16"	17084	58' 11-1/16"	17960
24	6	4,4,4,4,4,4	48' 1"	14656	54' 5-1/2"	16599	58' 5-1/2"	17819	61' 5-1/2"	18733
25	6	4,4,4,4,4,5	50' 0-3/4"	15260	56' 8-7/16"	17284	60' 10-7/16"	18554	63' 11-15/16"	19506
26	7	2,4,4,4,4,4,4	52' 1-5/8"	15891	59' 0-1/2"	17996	63' 4-1/2"	19317	66' 7-1/2"	20308
27	7	3,4,4,4,4,4,4	54' 1-3/8"	16495	61' 3-7/16"	18681	65' 9-7/16"	20052	69' 1-15/16"	21081
28	7	4,4,4,4,4,4,4	56' 1-1/8"	17098	63' 6-3/8"	19365	68' 2-3/8"	20787	71' 8-3/8"	21854
29	7	4,4,4,4,4,4,5	58' 0-7/8"	17701	65' 9-5/16"	20049	70' 7-5/16"	21522	74' 2-13/16"	22627
30	8	2,4,4,4,4,4,4,4	60' 1-3/4"	18333	68' 1-3/8"	20762	73' 1-3/8"	22286	76' 10-3/8"	23429

Heights are available in 67", 75", and 79". This is the net opening heights

Net Cooler Opening Chart



SELECT / ProE Continuous Full Flange Lineup

Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
1	1	1	2' 1-1/8"	639	2' 4-5/16"	720	2' 6-5/16"	770	2' 7-13/16"	809
2	1	2	4' 7/8"	1242	4' 7-1/4"	1404	4' 11-1/4"	1505	5' 2-1/4"	1582
3	1	3	6' 5/8"	1845	6' 10-3/16"	2088	7' 4-3/16"	2240	7' 8-11/16"	2355
4	1	4	8' 3/8"	2448	9' 1-1/8"	2772	9' 9-1/8"	2975	10' 3-1/8"	3128
5	1	5	10' 1/8"	3052	11' 4-1/16"	3456	12' 2-1/16"	3710	12' 9-9/16"	3901
6	2	3,3	12' 2-11/16"	3726	13' 9-13/16"	4212	14' 9-13/16"	4517	15' 6-13/16"	4746
7	2	3,4	14' 2-7/16"	4330	16' 3/4"	4896	17' 2-3/4"	5252	18' 1-1/4"	5519
8	2	4,4	16' 2-3/16"	4933	18' 3-11/16"	5581	19' 7-11/16"	5987	20' 7-11/16"	6292
9	2	4,5	18' 1-15/16"	5536	20' 6-5/8"	6265	22' 5/8"	6722	23' 2-1/8"	7065
10	2	5,5	20' 1-11/16"	6139	22' 9-9/16"	6949	24' 5-9/16"	7457	25' 8-9/16"	7838
11	3	3,4,4	22' 4-1/4"	6814	25' 3-5/16"	7705	27' 1-5/16"	8263	28' 5-13/16"	8683
12	3	4,4,4	24' 4"	7417	27' 6-1/4"	8389	29' 6-1/4"	8998	31' 1/4"	9456
13	3	4,4,5	26' 3-3/4"	8021	29' 9-3/16"	9073	31' 11-3/16"	9733	33' 6-11/16"	10229
14	3	4,5,5	28' 3-1/2"	8624	32' 1/8"	9757	34' 4-1/8"	10468	36' 1-1/8"	11002
15	3	5,5,5	30' 3-1/4"	9227	34' 3-1/16"	10441	36' 9-1/16"	11203	38' 7-9/16"	11775
16	4	4,4,4,4	32' 5-13/16"	9902	36' 8-13/16"	11197	39' 4-13/16"	12010	41' 4-13/16"	12620
17	4	4,4,4,5	34' 5-9/16"	10505	38' 11-3/4"	11881	41' 9-3/4"	12745	43' 11-1/4"	13393
18	4	4,4,5,5	36' 5-5/16"	11108	41' 2-11/16"	12566	44' 2-11/16"	13480	46' 5-11/16"	14166
19	4	4,5,5,5	38' 5-1/16"	11711	43' 5-5/8"	13250	46' 7-5/8"	14215	49' 1/8"	14939
20	4	5,5,5,5	40' 4-13/16"	12315	45' 8-9/16"	13934	49' 9/16"	14950	51' 6-9/16"	15712
21	5	3,3,5,5,5	42' 7-3/8"	12989	48' 2-5/16"	14690	51' 8-5/16"	15756	54' 3-13/16"	16557
22	5	3,4,5,5,5	44' 7-1/8"	13593	50' 5-1/4"	15374	54' 1-1/4"	16491	56' 10-1/4"	17330
23	5	3,5,5,5,5	46' 6-7/8"	14196	52' 8-3/16"	16058	56' 6-3/16"	17226	59' 4-11/16"	18103
24	5	4,5,5,5,5	48' 6-5/8"	14799	54' 11-1/8"	16742	58' 11-1/8"	17961	61' 11-1/8"	18876
25	5	5,5,5,5,5	50' 6-3/8"	15402	57' 2-1/16"	17426	61' 4-1/16"	18696	64' 5-9/16"	19649
26	6	3,3,5,5,5,5	52' 8-15/16"	16077	59' 7-13/16"	18182	63' 11-13/16"	19503	67' 2-13/16"	20494
27	6	3,4,5,5,5,5	54' 8-11/16"	16680	61' 10-3/4"	18866	66' 4-3/4"	20238	69' 9-1/4"	21267
28	6	4,4,5,5,5,5	56' 8-7/16"	17284	64' 1-11/16"	19551	68' 9-11/16"	20973	72' 3-11/16"	22040
29	6	4,5,5,5,5,5	58' 8-3/16"	17887	66' 4-5/8"	20235	71' 2-5/8"	21708	74' 10-1/8"	22813
30	6	5,5,5,5,5,5	60' 7-15/16"	18490	68' 7-9/16"	20919	73' 7-9/16"	22443	77' 4-9/16"	23586

Heights are available in 67", 75", and 79". This is the net opening heights

SELECT / ProE French Continuous Full Flange Lineup - (no mullion behind handle)

Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
2	1	2	4' 1-1/4"	1251	4' 7-5/8"	1413	4' 11-5/8"	1515	5' 2-5/8"	1591
3	1	3	6' 1-3/16"	1859	6' 10-3/4"	2102	7' 4-3/4"	2255	7' 9-1/4"	2369
4	1	4	8' 1-1/8"	2467	9' 1-7/8"	2791	9' 9-7/8"	2995	10' 3-7/8"	3147
5	1	5	10' 1-1/16"	3075	11' 5"	3480	12' 3"	3734	12' 10-1/2"	3925
6	2	2,4	12' 3-13/16"	3755	13' 10-15/16"	4241	14' 10-15/16"	4546	15' 7-15/16"	4774
7	2	3,4	14' 3-3/4"	4363	16' 2-1/16"	4930	17' 4-1/16"	5285	18' 2-1/16"	5552
8	2	4,4	16' 3-11/16"	4971	18' 5-3/16"	5619	19' 9-3/16"	6025	20' 9-3/16"	6330
9	2	4,5	18' 3-5/8"	5579	20' 8-5/16"	6308	22' 2-5/16"	6765	23' 3-13/16"	7108
10	3	2,4,4	20' 6-3/8"	6258	23' 2-1/4"	7068	24' 10-1/4"	7576	26' 1-1/4"	7957
11	3	3,4,4	22' 6-5/16"	6866	25' 5-3/8"	7757	27' 3-3/8"	8316	28' 7-7/8"	8735
12	3	4,4,4	24' 6-1/4"	7474	27' 8-1/2"	8446	29' 8-1/2"	9056	31' 2-1/2"	9513
13	3	4,4,5	26' 6-3/16"	8082	29' 11-5/8"	9135	32' 1-5/8"	9795	33' 9-1/8"	10291
14	4	2,4,4,4	28' 8-15/16"	8762	32' 5-9/16"	9895	34' 9-9/16"	10607	36' 6-9/16"	11140
15	4	3,4,4,4	30' 8-7/8"	9370	34' 8-11/16"	10584	37' 2-11/16"	11346	39' 1-3/16"	11918
16	4	4,4,4,4	32' 8-13/16"	9978	36' 11-13/16"	11273	39' 7-13/16"	12086	41' 7-13/16"	12696
17	4	4,4,4,5	34' 8-3/4"	10586	39' 2-15/16"	11962	42' 15/16"	12826	44' 2-7/16"	13474
18	5	2,4,4,4,4	36' 11-1/2"	11265	41' 8-7/8"	12723	44' 8-7/8"	13637	46' 11-7/8"	14323
19	5	3,4,4,4,4	38' 11-7/16"	11873	44'	13412	47' 2"	14377	49' 6-1/2"	15101
20	5	4,4,4,4,4	40' 11-3/8"	12481	46' 3-1/8"	14101	49' 7-1/8"	15117	52' 1-1/8"	15879
21	5	4,4,4,4,5	42' 11-5/16"	13089	48' 6-1/4"	14790	52' 1/4"	15856	54' 7-3/4"	16657
22	6	2,4,4,4,4,4	45' 2-1/16"	13769	51' 3/16"	15550	54' 8-3/16"	16668	57' 5-3/16"	17506
23	6	3,4,4,4,4,4	47' 2"	14377	53' 3-5/16"	16239	57' 1-5/16"	17407	59' 11-13/16"	18284
24	6	4,4,4,4,4,4	49' 1-15/16"	14985	55' 6-7/16"	16928	59' 6-7/16"	18147	62' 6-7/16"	19062
25	6	4,4,4,4,4,5	51' 1-7/8"	15593	57' 9-9/16"	17617	61' 11-9/16"	18887	65' 1-1/16"	19839
26	7	2,4,4,4,4,4,4	53' 4-5/8"	16272	60' 3-1/2"	18377	64' 7-1/2"	19698	67' 10-1/2"	20689
27	7	3,4,4,4,4,4,4	55' 4-9/16"	16880	62' 6-5/8"	19066	67' 5/8"	20438	70' 5-1/8"	21467
28	7	4,4,4,4,4,4,4	57' 4-1/2"	17488	64' 9-3/4"	19755	69' 5-3/4"	21178	72' 11-3/4"	22245
29	7	4,4,4,4,4,4,5	59' 4-7/16"	18096	67' 7/8"	20444	71' 10-7/8"	21918	75' 6-3/8"	23022
30	8	2,4,4,4,4,4,4,4	61' 7-3/16"	18776	69' 6-13/16"	21205	74' 6-13/16"	22729	78' 3-13/16"	23872

Heights are available in 67", 75", and 79". 0' 0"

Net Cooler Opening Chart



PRIME / VUE Continuous Full Flange Lineup

Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
1	1	1	2' 1-1/8"	639	2' 4-5/16"	720	2' 6-5/16"	770	2' 7-13/16"	809
2	1	2	4' 7/8"	1242	4' 7-1/4"	1404	4' 11-1/4"	1505	5' 2-1/4"	1582
3	1	3	6' 5/8"	1845	6' 10-3/16"	2088	7' 4-3/16"	2240	7' 8-11/16"	2355
4	1	4	8' 3/8"	2448	9' 1-1/8"	2772	9' 9-1/8"	2975	10' 3-1/8"	3128
5	1	5	10' 1/8"	3052	11' 4-1/16"	3456	12' 2-1/16"	3710	12' 9-9/16"	3901
6	2	3,3	12' 2-11/16"	3726	13' 9-13/16"	4212	14' 9-13/16"	4517	15' 6-13/16"	4746
7	2	3,4	14' 2-7/16"	4330	16' 3/4"	4896	17' 2-3/4"	5252	18' 1-1/4"	5519
8	2	4,4	16' 2-3/16"	4933	18' 3-11/16"	5581	19' 7-11/16"	5987	20' 7-11/16"	6292
9	2	4,5	18' 1-15/16"	5536	20' 6-5/8"	6265	22' 5/8"	6722	23' 2-1/8"	7065
10	2	5,5	20' 1-11/16"	6139	22' 9-9/16"	6949	24' 5-9/16"	7457	25' 8-9/16"	7838
11	3	3,4,4	22' 4-1/4"	6814	25' 3-5/16"	7705	27' 1-5/16"	8263	28' 5-13/16"	8683
12	3	4,4,4	24' 4"	7417	27' 6-1/4"	8389	29' 6-1/4"	8998	31' 1/4"	9456
13	3	4,4,5	26' 3-3/4"	8021	29' 9-3/16"	9073	31' 11-3/16"	9733	33' 6-11/16"	10229
14	3	4,5,5	28' 3-1/2"	8624	32' 1/8"	9757	34' 4-1/8"	10468	36' 1-1/8"	11002
15	3	5,5,5	30' 3-1/4"	9227	34' 3-1/16"	10441	36' 9-1/16"	11203	38' 7-9/16"	11775
16	4	4,4,4,4	32' 5-13/16"	9902	36' 8-13/16"	11197	39' 4-13/16"	12010	41' 4-13/16"	12620
17	4	4,4,4,5	34' 5-9/16"	10505	38' 11-3/4"	11881	41' 9-3/4"	12745	43' 11-1/4"	13393
18	4	4,4,5,5	36' 5-5/16"	11108	41' 2-11/16"	12566	44' 2-11/16"	13480	46' 5-11/16"	14166
19	4	4,5,5,5	38' 5-1/16"	11711	43' 5-5/8"	13250	46' 7-5/8"	14215	49' 1/8"	14939
20	4	5,5,5,5	40' 4-13/16"	12315	45' 8-9/16"	13934	49' 9/16"	14950	51' 6-9/16"	15712
21	5	3,3,5,5,5	42' 7-3/8"	12989	48' 2-5/16"	14690	51' 8-5/16"	15756	54' 3-13/16"	16557
22	5	3,4,5,5,5	44' 7-1/8"	13593	50' 5-1/4"	15374	54' 1-1/4"	16491	56' 10-1/4"	17330
23	5	3,5,5,5,5	46' 6-7/8"	14196	52' 8-3/16"	16058	56' 6-3/16"	17226	59' 4-11/16"	18103
24	5	4,5,5,5,5	48' 6-5/8"	14799	54' 11-1/8"	16742	58' 11-1/8"	17961	61' 11-1/8"	18876
25	5	5,5,5,5,5	50' 6-3/8"	15402	57' 2-1/16"	17426	61' 4-1/16"	18696	64' 5-9/16"	19649
26	6	3,3,5,5,5,5	52' 8-15/16"	16077	59' 7-13/16"	18182	63' 11-13/16"	19503	67' 2-13/16"	20494
27	6	3,4,5,5,5,5	54' 8-11/16"	16680	61' 10-3/4"	18866	66' 4-3/4"	20238	69' 9-1/4"	21267
28	6	4,4,5,5,5,5	56' 8-7/16"	17284	64' 1-11/16"	19551	68' 9-11/16"	20973	72' 3-1/16"	22040
29	6	4,5,5,5,5,5	58' 8-3/16"	17887	66' 4-5/8"	20235	71' 2-5/8"	21708	74' 10-1/8"	22813
30	6	5,5,5,5,5,5	60' 7-15/16"	18490	68' 7-9/16"	20919	73' 7-9/16"	22443	77' 4-9/16"	23586

Heights are available in 67", 75", and 79". This is the net opening heights

PRIME / VUE Continuous French Full Flange Lineup - (no mullion behind handle)

Doors	Sections	Configurations	24	mm	26	mm	28	mm	30	mm
2	1	2	4' 7/8"	1242	4' 7-1/4"	1404	4' 11-1/4"	1505	5' 2-1/4"	1582
3	1	3	6' 5/8"	1845	6' 10-3/16"	2088	7' 4-3/16"	2240	7' 8-11/16"	2355
4	1	4	8' 3/8"	2448	9' 1-1/8"	2772	9' 9-1/8"	2975	10' 3-1/8"	3128
5	1	5	10' 1/8"	3052	11' 4-1/16"	3456	12' 2-1/16"	3710	12' 9-9/16"	3901
6	2	2,4	12' 2-11/16"	3726	13' 9-13/16"	4212	14' 9-13/16"	4517	15' 6-13/16"	4746
7	2	3,4	14' 2-7/16"	4330	16' 3/4"	4896	17' 2-3/4"	5252	18' 1-1/4"	5519
8	2	4,4	16' 2-3/16"	4933	18' 3-11/16"	5581	19' 7-11/16"	5987	20' 7-11/16"	6292
9	2	4,5	18' 1-15/16"	5536	20' 6-5/8"	6265	22' 5/8"	6722	23' 2-1/8"	7065
10	3	2,4,4	20' 4-1/2"	6211	23' 3/8"	7020	24' 8-3/8"	7528	25' 11-3/8"	7909
11	3	3,4,4	22' 4-1/4"	6814	25' 3-5/16"	7705	27' 1-5/16"	8263	28' 5-13/16"	8683
12	3	4,4,4	24' 4"	7417	27' 6-1/4"	8389	29' 6-1/4"	8998	31' 1/4"	9456
13	3	4,4,5	26' 3-3/4"	8021	29' 9-3/16"	9073	31' 11-3/16"	9733	33' 6-11/16"	10229
14	4	2,4,4,4	28' 6-5/16"	8695	32' 2-15/16"	9829	34' 6-15/16"	10540	36' 3-15/16"	11073
15	4	3,4,4,4	30' 6-1/16"	9298	34' 5-7/8"	10513	36' 11-7/8"	11275	38' 10-3/8"	11846
16	4	4,4,4,4	32' 5-13/16"	9902	36' 8-13/16"	11197	39' 4-13/16"	12010	41' 4-13/16"	12620
17	4	4,4,4,5	34' 5-9/16"	10505	38' 11-3/4"	11881	41' 9-3/4"	12745	43' 11-1/4"	13393
18	5	2,4,4,4,4	36' 8-1/8"	11180	41' 5-1/2"	12637	44' 5-1/2"	13551	46' 8-1/2"	14237
19	5	3,4,4,4,4	38' 7-7/8"	11783	43' 8-7/16"	13321	46' 10-7/16"	14286	49' 2-15/16"	15010
20	5	4,4,4,4,4	40' 7-5/8"	12386	45' 11-3/8"	14005	49' 3-3/8"	15021	51' 9-3/8"	15783
21	5	4,4,4,4,5	42' 7-3/8"	12989	48' 2-5/16"	14690	51' 8-5/16"	15756	54' 3-13/16"	16557
22	6	2,4,4,4,4,4	44' 9-15/16"	13664	50' 8-1/16"	15445	54' 4-1/16"	16563	57' 1-1/16"	17401
23	6	3,4,4,4,4,4	46' 9-11/16"	14267	52' 11"	16129	56' 9"	17298	59' 7-1/2"	18174
24	6	4,4,4,4,4,4	48' 9-7/16"	14871	55' 1-15/16"	16814	59' 1-15/16"	18033	62' 1-15/16"	18947
25	6	4,4,4,4,4,5	50' 9-3/16"	15474	57' 4-7/8"	17498	61' 6-7/8"	18768	64' 8-3/8"	19720
26	7	2,4,4,4,4,4,4	52' 11-3/4"	16149	59' 10-5/8"	18254	64' 2-5/8"	19574	67' 5-5/8"	20565
27	7	3,4,4,4,4,4,4	54' 11-1/2"	16752	62' 1-9/16"	18938	66' 7-9/16"	20309	70' 1/16"	21338
28	7	4,4,4,4,4,4,4	56' 11-1/4"	17355	64' 4-1/2"	19622	69' 1/2"	21044	72' 6-1/2"	22111
29	7	4,4,4,4,4,4,5	58' 11"	17958	66' 7-7/16"	20306	71' 5-7/16"	21779	75' 15/16"	22884
30	8	2,4,4,4,4,4,4,4	61' 1-9/16"	18633	69' 1-3/16"	21062	74' 1-3/16"	22586	77' 10-3/16"	23729

Heights are available in 67", 75", and 79". This is the net opening heights